

SAFETY DATA SHEET

Dryden Aqua


ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product Identifier**
Product Name: APF Pools
Product Code: 20011, 20011-BD & 20019
Unique Formula Identifier (UFI): GCJ0-E07S-U00W-F2KU
Nanoform: The product does not contain nanoparticles.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Identified use(s): Multi-spectrum flocculant and coagulant
Uses advised against: Anything other than the above.
- 1.3 Details of the supplier of the safety data sheet**
Company Identification: Dryden Aqua Ltd
Address of Manufacturer: Butlerfield Industrial Estate,
Bonnyrigg,
Edinburgh EH19 3JQ,
United Kingdom
Telephone: +44 (0) 18758 22222
Fax: +44 (0) 18758 22229
E-mail (competent person): agnieszka@drydenaqua.com (Agnieszka Szewczyk)
EU Entity: Dryden Aqua Deutschland GmbH
Company Address: Marburger Str. 20, 35096 Weimar (Lahn), Germany.
- 1.4 Emergency telephone number**
Emergency Phone No.: 01 809 2166
+44 (0) 800 246 1274
Office hours: 8am - 10pm, 7 days per week
24/7 EcoStar Environmental
Language(s) spoken: English

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture Regulation (EC) No. 1272/2008 (CLP)**
Met. Corr. 1; H290
Eye Dam. 1; H318
Aquatic Chronic 3; H412
- 2.2 Label elements**
Product name: APF Pools
Contains: Aluminium chloride, basic; Lanthanum(III) chloride hydrate
Hazard Pictogram(s):

- Signal Word(s): DANGER
- Hazard Statement(s):
H290: May be corrosive to metals.
H318: Causes serious eye damage.
H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

Dryden Aqua

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

Precautionary Statement(s)

P234: Keep only in original packaging.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing and eye/face protection.
P310: Immediately call a POISON CENTER/doctor.
P390: Absorb spillage to prevent material damage.
P305+P354+P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental information

EUH208: Contains: Lanthanum(III) chloride hydrate. May produce an allergic reaction.

2.3 Other hazards

None known

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Aluminium Chloride	3 - 6	1327-41-9	215-477-2	Not yet assigned in the supply chain	Met. Corr. 1 ; H290 Eye Dam. 1 ; H318
Lanthanum(III) chloride hydrate	3 - <25	20211-76-1	233-237-5	01-2119452063-49-0002	Met. Corr. 1 ; H290 Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Chronic 2 ; H411
Aluminium Hydroxychloride	1 - <5	12042-91-0	234-933-1	01-2119533142-53-xxxx	Met. Corr. 1 ; H290
2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer	1 - <2.5	26062-79-3	607-855-4	Not yet assigned in the supply chain	Aquatic Chronic 3 ; H412

Specific concentration limit (SCL) & M-factor

Chemical identity of the substance	CAS No.	EC No.	Specific concentration limit (SCL)	M-factor
Lanthanum(III) chloride hydrate	20211-76-1	233-237-5	Skin Sens. 1; H317 ≥ 10	-

Note: For full text of H phrases see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

SAFETY DATA SHEET

Dryden Aqua



Date of issue: 18.05.2022
Date of First Issue: 24.11.2022
Version: V1.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

Self-protection of the first aider	No action should be taken involving personal risk. Use personal protective equipment as required. Ensure adequate ventilation. Avoid breathing vapours. Avoid all contact. Contaminated clothing should be laundered before reuse.
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact	IF ON SKIN: Gently wash with plenty of soap and water. If irritation develops and persists, get medical attention.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Ingestion	IF SWALLOWED: Rinse mouth. Give plenty of water to drink. Do NOT induce vomiting. May cause damage to the digestive tract if swallowed. Seek medical treatment.
4.2 Most important symptoms and effects, both acute and delayed	Causes serious eye damage. May produce an allergic reaction.
4.3 Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
Notes to a physician:	IF IN EYES: Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	Use fire-extinguishing media appropriate for surrounding materials
Suitable extinguishing media	Do not use water jet. Direct water jet may spread the fire.
Unsuitable extinguishing media	This product is an aqueous mixture which will not burn.
5.2 Special hazards arising from the substance or mixture	
5.3 Advice for firefighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus and chemical protection suit. Keep containers cool by spraying with water if exposed to fire. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing vapours. Avoid all contact. Remove contaminated clothing and wash all affected areas with plenty of water.
6.2 Environmental precautions	Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.
6.3 Methods and material for containment and cleaning up	Stop leak if safe to do so. Wipe up with absorbent material (eg. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. Ventilate the area and wash spill site after material pick-up is complete.
6.4 Reference to other sections	See Also Section: 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	When using do not eat or drink. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Avoid all contact. Do not ingest. Wear protective gloves/eye protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
--	--

SAFETY DATA SHEET

Dryden Aqua

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature
Incompatible materials

Keep only in original packaging. Keep in a well ventilated place. Keep container closed. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Keep from direct sunlight.

Stable at ambient temperatures.

Avoid contact with acids and alkalis. Strong oxidising agents. This product may react with metals. Non acid-proof metals, Bases, Unalloyed steel, Galvanized surfaces.

7.3 Specific end use(s)

See Section: 1.2.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational exposure limits

United Kingdom

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Titanium Dioxide Total inhalable Respirable	13463-67-7	- -	10 4	- -	- -	WEL

Source: WEL: Workplace Exposure Limit (UK HSE EH40)

Northern Ireland

Substance	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
		(ppm)	mg/m3	(ppm)	mg/m3	
Titandioxid Total Inhalable Dust Respirable Dust	13463-67-7	- -	10 4	- -	- -	-

Source: 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

Not applicable

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation (typically 10 air changes per hour) when using the material and follow the principles of good occupational hygiene to control personal exposures. If exposure limits have not been established, maintain airborne levels to an acceptable level. Guarantee that the eye flushing systems and safety showers are closely located to the working place.

8.2.2 Individual protection measures, such as personal protective equipment

Take care for general good hygiene and housekeeping. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Wash contaminated clothing before reuse. Avoid all contact. Do not eat, drink or smoke at the work place.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

SAFETY DATA SHEET

Dryden Aqua

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

Eye/ face protection



Wear eye protection with side protection (EN166). Eyewash bottles should be available.

Skin protection



Hand protection: Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
Recommended: Neoprene

Respiratory protection



In case of inadequate ventilation wear respiratory protection. Recommended: EN143 Type A-P2

Thermal hazards

Not applicable.

8.2.3 Environmental exposure controls

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Blue
Odour	Odourless
Melting point/freezing point	< -3 °C (< 26.6 °F)
Boiling point or initial boiling point and boiling range	102 °C (215.6 °F)
Flammability	Not applicable
Lower and upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not available
Decomposition temperature	Not available
pH	3.0 – 4.0
Kinematic viscosity	60 - 100 cP @ 25°C
Solubility	Water: miscible Other: Not available
Partition coefficient: n-octanol/water (log value)	Not available
Vapour pressure	Not applicable
Density and/or relative density	1.10 - 1.30 g/cm ³
Relative vapour density	Not available
Particle characteristics	Not applicable

9.2 Other information

Percent Volatile (%):	85.2 % estimated
Specific Gravity	1.05 – 1.25

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

Dryden Aqua

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

10.3	Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4	Conditions to avoid	Avoid prolonged storage at elevated temperature. Keep from direct sunlight. Do not freeze. Keep away from incompatible materials.
10.5	Incompatible materials	Avoid contact with acids and alkalis. Strong oxidising agents. This product may react with metals. Non acid-proof metals, Bases, Unalloyed steel, Galvanized surfaces
10.6	Hazardous decomposition products	None known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008	
	Acute toxicity - Ingestion	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
	Acute toxicity - Inhalation	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >20 mg/L (air) (Vapour)
	Acute toxicity - Skin contact	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) > 2,000 mg/kg.
	Skin corrosion/irritation	Mixture: Based upon the available data, the classification criteria are not met.
	Serious eye damage/irritation	Mixture: Eye Dam. 1; Causes serious eye damage.
	Aluminium Chloride	Eye Dam. 1; H318: Causes serious eye damage.
	Lanthanum(III) chloride hydrate	Causes serious eye damage. (rabbit) (OECD 405)
	Respiratory or skin sensitisation	Eye Dam. 1; H318: Causes serious eye damage.
	Lanthanum(III) chloride hydrate	Causes serious eye damage. (rabbit) (OECD 405) (Aqueous solution: pH 3.1)
	Germ cell mutagenicity	Mixture: EUH208: Contains: Lanthanum(III) chloride hydrate. May produce an allergic reaction.
	Carcinogenicity	Skin Sens. 1; H317: May cause an allergic skin reaction.
	Reproductive toxicity	Sensitisation (mouse) Positive (OECD 429)
	STOT - Single Exposure	Mixture: Based upon the available data, the classification criteria are not met.
	STOT - Repeated Exposure	Mixture: Based upon the available data, the classification criteria are not met.
	Aspiration hazard	Mixture: Based upon the available data, the classification criteria are not met.
11.2	Information on other hazards	
11.2.1	Endocrine disrupting properties	No substances identified as having endocrine-disrupting properties.
11.2.2	Other information	None

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Mixture: Aquatic Chronic 3; H412: Harmful to aquatic life with long lasting effects. Estimated LC50 (Mixture): > 10 to ≤ 100 mg/l.
	Lanthanum(III) chloride hydrate	Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects.
	2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer	NOEC Cyprinus carpio (Common Carp); 0.46 mg/L (OECD 204)
		Reference: EU classification and labelling inventory / ECHA registration dossier
		Aquatic Chronic 3; H412: Harmful to aquatic life with long lasting effects.
		Reference: EU classification and labelling inventory (512 Notifiers)
12.2	Persistence and degradability	The product contains inorganic compounds which are not biodegradable. The other components of the product are slowly biodegradable.
	Aluminium Chloride	Not applicable for inorganic substances.
	Aluminium Hydroxychloride	Not applicable for inorganic substances.
	2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer	No information available.
	Lanthanum(III) chloride hydrate	No information available.
12.3	Bioaccumulative potential	The product has low potential for bioaccumulation.

SAFETY DATA SHEET

Dryden Aqua



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

	Aluminium Chloride	No information available.
	Aluminium Hydroxychloride	The substance has no potential for bioaccumulation.
	2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer	No information available.
	Lanthanum(III) chloride hydrate	No information available.
12.4	Mobility in soil	The product is miscible with water. May spread in water systems.
	Aluminium Chloride	No information available.
	Aluminium Hydroxychloride	No information available.
	2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer	No information available.
	Lanthanum(III) chloride hydrate	Mobility in soil not to be expected.
		Log K _{oc} ; 5.67 - 6.92
		Source; ECHA registration dossier
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB. None of the substances in this product fulfil the criteria for being regarded as a PBT or vPvB substance.
12.6	Endocrine disrupting properties	No substances identified as having endocrine-disrupting properties.
12.7	Other adverse effects	None

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Dispose of wastes in an approved waste disposal facility. Recover or recycle if possible.
	Waste classification according to Directive 2008/98/EC (Waste Framework Directive)	Waste code: HP4 (Irritant — skin irritation and eye damage)

14. SECTION 14: TRANSPORT INFORMATION

	ADR/RID	ADN	IMDG	IATA/ICAO
14.1	UN number or ID number	UN 2581	UN 2581	UN 2581
14.2	UN proper shipping name	Aluminium Chloride Solution	Aluminium Chloride Solution	Aluminium Chloride Solution
14.3	Transport hazard class(es)	8	8	8
14.4	Packing group	III	III	III
14.5	Environmental hazards	Not classified	Not classified	Not classified
			Not classified as a Marine Pollutant.	
14.6	Special precautions for user	See Section: 2		
14.7	Maritime transport in bulk according to IMO instruments	Not applicable		
14.8	Additional information	None		

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or restrictions on use	Not restricted
	EU - REACH (1907/2006) CoRAP Substance Evaluation	Aluminium Chloride: Substance evaluated in 2015
	To follow:	Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work
15.1.2	National regulations	
	Germany	Water hazard class: 2 (Self classification)

SAFETY DATA SHEET

Dryden Aqua

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

15.2 Chemical Safety Assessment

A chemical safety assessment is not required under REACH.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Updated S3.2, S14.5. Updated version and date. Please review SDS with care.

Sections indicated with the following have been revised:

Version: V1.1

Date of issue: 18.05.2023

Date of First Version: 24.11.2022

References:

Existing ECHA registration(s) for Aluminium chloride (CAS No. 1327-41-9), Lanthanum(III) chloride hydrate (CAS No. 20211-76-1), and Dialuminium Chloride Pentahydroxide (CAS No. 12042-91-0).

EU classification and labelling inventory for 2-Propen-1-aminium, N,N-dimethyl-N-2-propen-1-yl-, chloride (1:1), homopolymer (CAS No. 26062-79-3)

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification procedure
Met. Corr. 1 ; H290	Expert judgement
Eye Dam. 1 ; H318	Threshold Calculation
Aquatic Chronic 3 ; H412	Threshold Calculation
EUH208: Contains: Lanthanum(III) chloride hydrate. May produce an allergic reaction.	Threshold Calculation

Legend

ADN	ADN: European Agreement on the International Transport of Dangerous Goods by Inland Waterways
ADR	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL	Derived no effect level
IATA	IATA: International Air Transport Association
ICAO	ICAO: International Civil Aviation Organization
IMDG	IMDG: International Maritime Dangerous Goods
LTEL	Long term exposure limit
OECD	Organisation for Economic Cooperation and Development
PBT	PBT: Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	RID: Regulations concerning the international railway transport of dangerous goods
STEL	Short term exposure limit
vPvB	vPvB: very Persistent and very Bioaccumulative

Hazard classification / Classification code:

Met. Corr. 1; Corrosive to metals, Category 1
Skin Sens. 1; Skin sensitizer, Category 1
Eye Dam. 1; Eye damage, category 1
Aquatic Chronic 2; Hazardous to the aquatic environment, Chronic , Category 2
Aquatic Chronic 3; Hazardous to the aquatic environment, Chronic , Category 3

Hazard Statement(s)

H290: May be corrosive to metals.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

EUH208: Contains: (name of sensitising substance). May produce an allergic reaction.

SAFETY DATA SHEET

Dryden Aqua



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

APF Pools

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Dryden Aqua Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Dryden Aqua Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable